

# Index

Note: Page numbers followed by the letter f refer to figures and those followed by t refer to tables.

- Abdominal aorta  
aneurysm of, 484, 485f  
dissection of, 268f
- Abdominal MRI, 289–352, 290f. *See also specific organ, e.g., Liver.*
- Abscess  
epidural, cervical spine findings in, 125–126, 126f  
of brain, 61, 63, 89, 89f  
of parapharyngeal space, 232  
of spleen, 317–318
- Achilles tendon  
anatomy of, 430  
inflammation of, 431, 432f  
injury to, 430–431, 431f
- Achondroplasia, of lumbar spine, 181
- Acoustic neuroma, bilateral, 108–109, 108f
- Acoustic schwannoma, 17–19, 18f–19f  
contrast agent dose in, 470–471  
intracanalicular, 18, 19f
- Acquired immunodeficiency syndrome. *See HIV infection.*
- Acromial configuration, impingement syndrome and, 412, 413f
- Acromioclavicular joint  
anatomy of, 410  
hypertrophy at, 411–412, 412f
- Adenolymphoma, of parotid gland, 234
- Adenoma  
adrenal, 330, 334, 335f  
hepatocellular, 294, 297f, 298f  
pancreatic, microcystic, 326, 329f  
parathyroid, 242  
pituitary, 22–23, 23f, 470–471  
pleomorphic, of salivary gland, 234, 235f  
thyroid, 242
- Adenomyosis, of uterus, 358, 362f, 363
- Adrenal gland, 330–337  
adenoma of, 330, 334, 335f  
cyst of, 337  
functional disorders of, 330  
ganglioneuroma of, 332, 334f  
metastasis to, 334, 336f  
MRI techniques in, 330  
myelolipoma of, 334, 337, 338f–339f  
neuroblastoma of, 332, 333f, 335  
paraganglioma of, 330, 332, 332f  
pseudocyst of, 337
- Adrenocortical carcinoma, 330, 331f
- Adrenoleukodystrophy, 111, 113f, 114
- Aggressive fibromatosis, 437
- Agyria, 104–105
- AIDS. *See HIV infection.*
- Air-fluid level, in paranasal sinus, 235, 237, 237f
- Alcoholism, cerebellar degeneration in, 76f, 77
- Amyloid angiopathy, cerebrovascular disease in, 74
- Anaphylactoid reaction, to contrast agents, 464
- Aneurysm  
fusiform, 36  
of abdominal aorta, 484, 485f  
of brain. *See Intracranial aneurysm.*  
of renal artery, 484, 487f  
of thoracic aorta, 266–267, 266f, 483, 483f  
of vein of Galen, 45  
saccular, 36, 37f
- Aneurysm clip, ferromagnetic, 39–40
- Aneurysmal bone cyst, 127–128, 445, 445f
- Angiocardiology, 272–273
- Angiofibroma, juvenile, of nasopharynx, 230, 231f
- Angiography  
computed tomography, 479  
magnetic resonance  
contrast-enhanced. *See Contrast-enhanced magnetic resonance angiography.*  
hanced magnetic resonance angiography.  
in cerebral infarction, 63  
in cerebral ischemic disease, 50–51, 50f  
in intracranial aneurysm, 39, 39f, 474
- Angiolipoma, 169  
of kidney, 341, 344f  
of lumbar spine, 199f
- Angioma  
cavernous  
brain findings in, 47, 47f  
cervical spine findings in, 128, 129f  
venous, 45, 46f
- AngioMARK (MSS-325, Mallinckrodt), 465
- Angiomatosis  
encephalotrigeminal, 45, 110, 110f  
retinocerebral, 109–110
- Angiopathy, amyloid, cerebrovascular disease in, 74
- Angiosarcoma, of spleen, 318
- Ankle, 425, 429–432  
anatomy of, 429–430  
ligament injuries of, 432, 434f  
MRI techniques in, 429  
pathology in, 430–432, 430f–435f  
tendon injuries of, 430–432, 431f–434f
- Ankylosing spondylitis, of lumbar spine, 209, 213f
- Annular bulge, in lumbar spine, 216, 217f
- Annular tear, in lumbar spine, 216, 216f
- Annulus fibrosus, 174
- Anterior cerebral artery  
distribution of, 54, 55f  
infarction of, 54, 58f–60f, 61f
- Anterior choroidal artery, distribution of, 54, 55f
- Anterior cruciate ligament  
anatomy of, 388  
tear of, 388, 389, 390f–391f
- Anterior spinal artery, 117
- Anteroinferior cerebellar artery, distribution of, 55f, 60
- Aortic aneurysm  
abdominal, 484, 485f  
thoracic, 266–267, 266f, 483, 483f
- Aortic arch anomalies, 273–275, 273f–279f, 481, 482f
- Aortic coarctation, contrast-enhanced MR angiography of, 481, 482f
- Aortic dissection  
abdominal, 268f  
thoracic, 267, 267f–271f, 483, 484f
- Apoplexy, pituitary, 23
- Arachnoid cyst, 20–21, 21f, 100, 101f
- Arachnoiditis, of lumbar spine, 187, 190–192, 190f–191f
- Arterial dissection, cerebrovascular disease in, 73–74
- Arterial enhancement  
contrast-enhanced magnetic resonance angiography for, 473–474, 473f–475f. *See also Contrast-enhanced magnetic resonance angiography.*
- Arterial enhancement (*Continued*)  
in cerebral infarction, 51, 51f  
in extra-axial lesions, 1, 461
- Arterial vascular territories, in cerebrovascular disease, 54–60, 55f–63f
- Arteriovenous malformation  
calcification in, 44–45  
contrast-enhanced magnetic resonance angiography in, 492  
dural-based, 44  
intracranial, 41, 43f–45f, 44–45  
parenchymal changes in, 45  
perimesencephalic cistern, 43f  
thalamic, 44f  
thoracic, 167–168, 168f
- Arthritis, of lumbar spine, 209, 213f
- Arthrography  
in temporomandibular joint perforation, 420  
magnetic resonance, of glenohumeral joint, 416, 416f
- Articular cartilage, of knee, injury to, 394
- Astrocytoma  
anaplastic (grade III), 4–5, 5f  
cerebellar, 12, 13f  
classification of, 3  
enhancement patterns in, 4  
grade I, 3  
grade II, 5, 6f  
imaging plane in, 4  
intracranial, 3–5, 3f–6f  
of cervical spine, 128, 130f–131f  
of thoracic spine, 164, 165f  
pilocytic, 12, 13f  
juvenile, 3  
recurrent, 26f
- Atherosclerosis  
cerebral infarction in, 60–61, 63  
lesion distribution in, 60–61  
magnetic resonance angiography in  
of carotid artery, 474, 477f–478f, 478  
of lower extremity, 489, 490, 491f  
of renal artery, 484, 487f  
of upper extremity, 492  
thoracic aorta ulcers in, 484, 485f
- Atlanto-occipital dislocation, 141
- Atlas, 117
- Atrium (atria)  
left, myxoma of, 286f, 288  
MRI of, 281  
right, lipoma of, 288
- Avascular necrosis  
in hip, 399–402, 401f–402f  
in temporomandibular joint, 420  
in wrist/hand, 421, 422f
- Axis, 117
- Back pain, after lumbar spine surgery, 207, 208f, 209, 210f–212f
- Background tissue signal, magnetization transfer suppression of, 457, 459f
- Bacterial meningitis, 93f
- Baker's cyst, of knee, 395, 397f
- Bankart lesion, 417
- Bartholin's cyst, 367
- Basal ganglia  
dilated perivascular space in, 69, 69f  
lacunar infarction involving, 67f

- Basilar artery  
aneurysm of, 36, 38f, 39, 476f  
ectasia of, 40–41, 42f
- Basilar invagination (impression)  
brain findings in, 98, 99f  
cervical spine findings in, 123
- Basivertebral vein, enhancement of, 174
- Batson's plexus  
in cervical spine, 117  
in lumbar spine, 174
- Berry aneurysm, 36, 37f
- Biceps tendon  
long head of, impingement on, 416  
tear of, 424–425, 426f
- Bile ducts, magnetic resonance  
cholangiopancreatography of, 289
- Binswanger's disease, hyperintense white  
matter foci in, 71
- Bladder  
carcinoma of, 353–354, 355f  
MRI of, 354  
normal, 354  
sarcoma arising from, 354, 356f
- Blood-brain barrier, disruption of  
contrast enhancement associated with, 1,  
461  
in cerebral ischemia, 48
- Bolus chasing, in lower extremity contrast-  
enhanced magnetic resonance  
angiography, 489, 490f
- Bone cyst, aneurysmal  
MRI findings in, 445, 445f  
of cervical spine, 127–128
- Bone marrow  
abnormalities of  
in knee, 395, 395f–397f  
MRI evaluation of, 449  
normal, 449
- Bone tumor. *See also specific type, e.g.,*  
Chordoma.  
intracranial, 24–25, 25f–26f  
MRI findings in, 437, 440f–448f, 445–449  
soft tissue involvement in, 449  
staging of, 447, 449
- Brachial plexus  
injury to, 146, 147f  
Pancoast tumor of, 263, 264f
- Brain. *See also Cerebral entries; specific part,*  
*e.g., Cerebellum.*  
abscess of, 61, 63, 89, 89f  
acoustic schwannoma of, 17–19, 18f–19f  
aneurysm of. *See* Intracranial aneurysm.  
arterial vascular territories for, 54–60, 55f–  
63f  
arteriovenous malformation of, 41, 43f–  
45f, 44–45  
astrocytoma of  
cerebellar, 12, 13f  
intracranial, 3–5, 3f–6f  
choroid plexus papilloma of, 14–15  
congenital disease of, 98–116  
Chiari malformations as, 98–100, 100f–  
101f  
craniovertebral, 98, 99f  
dysmyelinating, 111, 113f–115f, 114–116  
neurocutaneous, 106, 108–110, 108f–  
110f  
neuronal migration, 104–106, 105f–107f  
contrast media in, 1–2  
contrast-enhanced MRI of  
angiographic, 474, 475f–477f  
conventional, 460–461  
contusion of, 64, 64f  
cyst of  
arachnoid, 20–21, 21f, 100, 101f
- Brain (*Continued*)  
colloid, 14, 15f  
hyperintense white matter foci in, 71  
pineal, 11, 12f  
dermoid of, 19–20, 20f  
ependymoma of, 15  
epidermoid of, 19, 20f  
ganglioglioma of, 5, 7f  
ganglioneuroma of, 5  
germ cell tumor of, 11, 11f  
hemangioblastoma of, 12, 14, 14f  
hemorrhage of, 28–36  
hypoperfusion of, ischemic disease from,  
63–64  
hypoxic-ischemic injury to, 72–73, 73f, 84–  
85, 84f–85f  
imaging sequences in, 2–3  
infarction of. *See* Cerebral infarction.  
infection of, 87, 89–97  
computed tomography in, 78  
in AIDS, 94, 95f–97f, 97  
meningeal, 92, 92f–94f, 94  
parenchymal, 89, 89f–92f, 91–92  
ischemia of. *See* Cerebral ischemia.  
leptomeningeal metastasis in, 21, 21f  
lipoma of, 102, 103f  
medulloblastoma of, 12, 14f  
meningioma of, 15–17, 16f–18f, 24  
metastasis  
calvarial, 25, 25f  
contrast use in, 8–9, 9f, 10f  
hemorrhagic, 9–10, 10f  
intra-axial, 8–10, 8f–10f  
leptomeningeal, 21, 21f  
normal variants of, 98, 99f  
oligodendroglioma of, 5, 6f  
pineal cell tumor of, 11, 11f  
primitive neural ectodermal tumor of, 5, 7,  
7f  
radiation injury to, 85, 86f–87f, 87  
tumors of, 1–27  
contrast use in, 1–2, 3, 8–9, 9f, 10f  
extra-axial, 15–21, 16f–21f  
imaging sequences in, 2–3  
in pituitary and parasellar region, 21–24,  
23f–24f  
intra-axial (infratentorial space), 11–14,  
13f–14f  
intra-axial (supratentorial space), 3–11,  
3f–12f  
intraventricular, 14–15, 15f  
osseous, 24–25, 25f–26f  
postoperative evaluation of, 25, 26f, 27  
vs. thrombotic cerebral infarction, 61, 63  
vascular disease of. *See* Cerebrovascular dis-  
ease.  
watershed areas in, 64  
white matter disease in, 78–87
- Brainstem glioma, 12, 13f
- Breast  
carcinoma of, 250, 253  
invasive, 245f–247f, 254f–255f  
cyst of, 244  
fibroadenoma of, 244, 250, 250f–252f  
fibrocystic disease in, 244  
MRI of  
indications for, 244  
protocol for, 243–244  
parenchymal proliferation in, 244, 248f–  
249f
- Breast implant, MRI of, 253, 256f, 257f
- Breath-hold T<sub>1</sub>-weighted sequences  
in abdomen, 289  
in adrenal gland, 330  
in chest, 258
- Bronchial cancer, with mediastinal invasion,  
258, 262f
- Bronchogenic carcinoma, pulmonary artery  
involvement in, 479, 481f
- Bronchogenic cyst, 260f
- Bucket-handle tear, of meniscus, 385, 385f,  
388
- Budd-Chiari syndrome, 314, 315f, 488
- Bursitis, of hip, 402, 408f, 409f
- Burst fracture, of thoracic spine, 169
- Butterfly vertebrae, 156
- C sign, in MRI of breast implant, 253
- Calcaneal lipoma, 448f
- Calcification  
in arteriovenous malformation, 44–45  
in oligodendroglioma, 5, 6f
- Calvarium, metastasis to, 25, 25f
- Canavan's disease, 114, 114f
- Capillary telangiectasia, 47
- Capital femoral epiphysis, slipped, 410, 411f
- Carbon monoxide poisoning, cerebrovascular  
disease in, 73
- Carcinoid tumor, hypervascular liver  
metastasis of, 300, 302f
- Carcinoma  
adrenocortical, 330, 331f  
bladder, 353–354, 355f  
breast, 245f–247f, 250, 253, 254f–255f  
bronchogenic, 479, 481f  
cervical, 365–367, 366f–367f  
cholangiocellular, intrahepatic, 313–314,  
313f  
endometrial, 363, 364f–365f  
hepatocellular, 294, 295f, 296f  
laryngeal, 242  
lung, with mediastinal invasion, 258, 262f  
nasopharyngeal, 229–230, 229f, 241  
oropharyngeal, 232–233  
ovarian, 375, 376f–377f  
pancreatic, 322, 323f–325f, 324  
paranasal sinus, 239–240, 239f  
prostatic, 380, 380f  
renal, 337, 340, 341, 343f, 345, 346f–349f,  
351–352  
thyroid, 242  
vaginal, 367, 368f
- Carcinomatosis, meningeal, 21f
- Cardiac mass, 286f–287f, 288
- Cardiomyopathy, 282–284  
dilated, 283  
hypertrophic, 283, 283f  
restrictive, 283
- Cardiorespiratory arrest, hypoxemic injury in,  
84, 84f
- Carotid artery  
contrast-enhanced magnetic resonance an-  
giography of, 474, 477f–479f, 478  
infarction of, atherosclerotic thrombotic,  
60  
MRI of, 242
- Carotid body tumor, 232
- Carpal bones, 420
- Carpal tunnel, anatomy of, 421
- Carpal tunnel syndrome, 423, 423f, 424f
- Cartilage cap, MRI findings in, 437, 445
- Cartilage injuries, of knee, 394
- Caudal regression, 175–176, 176f
- Cavernous angioma  
brain findings in, 47, 47f  
cervical spine findings in, 128, 129f  
contrast-enhanced magnetic resonance an-  
giography in, 477f
- Cavernous sinus meningioma, 17, 459f

- Cavum septum pellucidum, 98, 99f  
 Cavum septum vergae, 98, 99f  
 Cavum velum interpositum, 98  
 Central nervous system. *See also* Brain; Spinal cord.  
   lymphoma of, 7–8, 8f, 97  
 Central pontine myelinolysis, 76f, 77, 85  
 Cerebellar artery  
   distribution of, 54, 55f, 60  
   infarction of, 60, 62f–63f  
 Cerebellar tonsils, abnormalities involving, 121–123, 122f–123f  
 Cerebellopontine angle, meningioma in, 17  
 Cerebellum  
   astrocytoma of, 12, 13f  
   degenerative disease in, 76f, 77  
   hypoplasia of, 100, 102  
   primitive neural ectodermal tumor of, 7  
   watershed region in, 64  
 Cerebral anoxia, 72–73, 73f  
 Cerebral arteritis, 71–72, 72f  
 Cerebral artery  
   bifurcation aneurysm of, 36, 37f, 38f, 39f  
   distribution of, 54, 55f  
   infarction of  
   anterior, 54, 58f–60f, 61f  
   middle, 54, 55f, 56f, 60, 61f  
   posterior, 54, 57f–58f  
 Cerebral blood volume analysis, in  
   postoperative tumor evaluation, 27  
 Cerebral cortex, watershed areas in, 64  
 Cerebral hematoma, 31, 32f  
   in arteriovenous malformation, 44, 45f  
   in embolic cerebral infarction, 63  
   in intracranial aneurysm, 36, 38f  
   vs. thrombotic cerebral infarction, 61  
 Cerebral hemispheres, organizational  
   disorders of, 102–104, 102f–104f  
 Cerebral infarction  
   acute, 49, 50–51, 50f  
   chronic, 49, 53, 53f  
   completed, 49  
   definition of, 48  
   embolic, 63  
   hemodynamic, 63–64, 64f  
   hemorrhagic, 53, 54f, 63, 77  
   hyperacute, 49, 49f  
   lacunar, 65–69, 65f–68f  
   reperfusion after, 48  
   subacute, 49, 51–53, 51f–52f  
   thrombotic, 60–61, 63  
   watershed, 64, 64f  
 Cerebral ischemia  
   causes of, 53  
   definition of, 48  
   hyperintense white matter foci in, 69, 71, 71f  
   MRI principles in, 49–53, 49f–54f  
   pathophysiology of, 48–49  
   reversible, 48  
   trauma-induced, 64, 64f  
 Cerebral perfusion imaging, 50, 50f, 455, 460–461  
 Cerebral veins  
   infarction of, 77  
   thrombosis of, 74–75, 75f, 77  
 Cerebritis, in parenchymal brain infection, 89, 89f  
 Cerebrovascular accident  
   definition of, 48  
   in lacunar infarction, 65–66  
 Cerebrovascular anomalies, 36–47. *See also specific type, e.g.,* Intracranial aneurysm.  
 Cerebrovascular disease, 48–77. *See also specific type, e.g.,* Cerebral infarction.  
 Cerebrovascular disease (*Continued*)  
   arterial vascular territories involved in, 54–60, 55f–63f  
   clinical considerations in, 48  
   dilated perivascular spaces as, 69, 69f–70f  
   in amyloid angiopathy, 74  
   in arterial dissection, 73–74  
   in Moyamoya, 74, 75f  
   MRI principles in, 49–53, 49f–54f  
   pathophysiology of, 48–49  
   small vessel, 69, 71, 71f  
 Cerebrovascular malformations  
   classification of, 36  
   occult, 47  
 Cervical spine, 117–155  
   acute transverse myelitis of, 155  
   aneurysmal bone cyst of, 127–128  
   astrocytoma of, 128, 130f–131f  
   cavernous angioma of, 128, 129f  
   congenital disease in, 118, 121–125, 121f–125f  
   disk herniation in, 146–149  
   chronic, 149, 150f  
   clinical symptoms of, 146, 147f, 148f  
   MRI techniques in, 146, 149, 149f  
   traumatic, 141, 142f–143f  
   eosinophilic granuloma of, 128  
   flexion and extension views of, 117  
   flexion injury of, 141, 146  
   flexion-rotation injury of, 141, 145f  
   hemangioblastoma of, 128, 133f  
   hydrosyringomyelia of, 136–137, 137f–139f  
   hypertrophic end plate spurs in, 150, 151f  
   in basilar invagination, 123  
   in Chiari malformations, 121–123, 122f–123f  
   in Klippel-Feil syndrome, 118, 121, 121f  
   in neurofibromatosis, 123, 125, 125f  
   in os odontoideum, 123, 124f  
   infection and inflammatory disease in, 125–128, 126f–127f  
   leptomeningeal metastasis in, 135–136, 135f–136f  
   meningioma of, 128, 133f  
   metastasis to, 135  
   multiple sclerosis lesions in, 81–82, 154f–155f, 155  
   neoplastic disease in, 128, 130f–136f, 134–136  
   normal, 117–118  
   osteochondroma of, 127  
   perched facet in, 145f, 146  
   radiation injury to, 136, 136f  
   rheumatoid arthritis of, 126–127, 127f  
   sarcoidosis of, 126  
   spondylosis of, surgery for, 150, 152f, 153f, 155  
   stenosis of, 118, 119f, 120f  
   traumatic injury to, 140–146, 140f–147f  
   vertebral metastasis in, 128, 134–135, 134f  
 Cervix  
   benign mass of, 363, 365  
   carcinoma of, 365–367, 366f–367f  
   normal, 363  
 Chance fracture, 204  
 Chemical shift imaging  
   of abdomen, 289, 290f  
   of adrenal gland, 330  
   of bone marrow, 449  
   of pelvis, 353  
 Chest MRI, 243–288. *See also specific anatomic location, e.g.,* Breast.  
 Chest wall  
   MRI of, 258  
   tumors of, 263  
 Chiari malformation  
   type I  
   brain findings in, 98–99, 100f  
   cervical spine findings in, 121–123, 122f  
   type II  
   brain findings in, 99–100, 101f, 123  
   cervical spine findings in, 123, 123f  
   type III  
   brain findings in, 100  
   cervical spine findings in, 123  
 Children. *See also* Infants.  
   gadolinium chelate use in, 472  
   hip disorders in, 402, 410, 411f  
   hypoxic-ischemic brain injury in, 72, 73, 73f, 85, 85f  
   lumbar spine in, 175  
   myelination in, 110–111, 111f–113f  
   neuroblastoma in, 332, 333f, 335  
   renal tumors in, 345, 351, 351f  
   ventricular size and width in, 111  
 Cholangiocellular carcinoma, intrahepatic, 313–314, 313f  
 Cholangiopancreatography, magnetic resonance, 289  
 Chondroblastoma, 445, 447, 447f  
 Chondromalacia patella, 398  
 Chondrosarcoma, 437, 441f, 442f  
 Chordoma  
   intracranial, 24–25  
   lumbar, 193  
 Choroid plexus papilloma, of brain, 14–15  
 Choroidal artery, distribution of, 54, 55f  
 Cine gradient echo imaging  
   of aortic dissection, 267, 267f  
   of heart disease, 273, 279  
 Cirrhosis, hepatocellular carcinoma and, 294, 296f  
 Clay shoveler's fracture, 141  
 Coarctation of aorta, contrast-enhanced magnetic resonance angiography of, 481, 482f  
 Coils. *See* Imaging coils.  
 Collateral ligaments  
   in elbow, tear of, 425, 428f  
   in knee  
   anatomy of, 389  
   tear of, 389, 392f–393f  
 Colloid cyst, of brain, 14, 15f  
 Computed tomography  
   angiography, contrast-enhanced magnetic resonance angiography vs., 479  
   in arachnoiditis, 190  
   in multiple sclerosis, 79, 81  
   in spinal cord injury, 140–141  
   in white matter disease and intracranial infection, 78  
 Congenital anomalies  
   Chiari malformations as, 98–100, 100f–101f  
   craniovertebral, 98, 99f  
   dysmyelinating, 111, 113f–115f, 114–116  
   neurocutaneous, 106, 108–110, 108f–110f  
   neuronal migration, 104–106, 105f–107f  
   of brain, 98–116  
   of posterior fossa, 100, 101f, 102  
   of prostate, 377, 380  
   of pulmonary veins, 275, 278  
   of thoracic aorta, 273–275, 273f–279f, 481, 482f  
   of uterus, 357–358, 357f, 359f  
 Congenital disease  
   of cervical spine, 118, 121–125, 121f–125f  
   of heart, 272–278, 273f–279f  
   of lumbar spine, 175–181, 176f–180f, 182f–183f

- Congenital disease (*Continued*)  
of thoracic spine, 156–157
- Constrictive pericarditis, 283, 284f, 285
- Contrast agents. *See also specific agent, e.g.,*  
Magnevist (gadolinium-DTPA).  
adverse reactions to, 1, 463–464  
design of, 454  
development of, 461–462  
extracellular space, 289  
gadolinium. *See* Gadolinium chelates.  
in clinical trials, 464–465  
liver-specific, 289, 462, 464–465, 466f–  
469f, 471  
magnetic susceptibility of, 455  
nongadolinium, approved, 471  
off-label use of, 472  
oral, 353, 471–472  
relaxivity properties of, 455–457  
safety of, 461, 462
- Contrast-enhanced magnetic resonance  
angiography, 473–492  
attributes of, 474  
field of view in, 478, 478f  
gadolinium chelates for, 472, 473–474  
in pulmonary arteriovenous malformation,  
272f  
in thoracic outlet syndrome, 479f  
of abdominal aorta, 484, 485f  
of brain, 474, 475f–477f  
of carotid arteries, 474, 477f–479f, 478  
of lower extremity, 489–490, 490f–491f  
of mesenteric vasculature, 489  
of portal venous system, 485, 488, 488f  
of pulmonary vasculature, 478–479, 480f–  
481f  
of renal arteries, 484–485, 486f–487f  
of thoracic aorta, 263, 479, 481–484, 482f–  
485f  
of upper extremity, 490, 491f, 492  
sequence parameters in, 474, 475f  
timing of image acquisition in, 473–474,  
473f, 474f  
vs. computed tomography angiography,  
479
- Contrast-enhanced magnetic resonance  
imaging, 454–472  
after lumbar spine surgery, 207, 208f, 209,  
210f–212f  
agents used in. *See* Contrast agents.  
design requirements in, 454  
development history of, 461–462  
during pregnancy and lactation, 462  
imaging techniques in, 457–461, 458f–460f  
in acoustic schwannoma, 470–471  
in avascular necrosis, 401  
in myocardial infarction, 281–282, 282f  
in pancreatic carcinoma, 324  
in pituitary adenoma, 470–471  
in thoracic disk herniation, 169, 171f, 172f  
mechanisms responsible for, 1–2, 454–455,  
461  
of brain, 460–461  
in cerebral infarction, 49, 51–53, 51f–52f  
in lacunar infarction, 67, 67f  
in meningeal disease, 92, 92f–93f  
in multiple sclerosis, 81, 81f–82f  
in neoplastic disease, 2–3  
in parenchymal infection, 89, 89f, 90f  
in postoperative tumor evaluation, 25,  
26f, 27  
of breast, 243  
of cervical spine, 117–118  
of head and neck, 228–229  
of liver, 289–291  
of lumbar spine, 174–175
- Contrast-enhanced magnetic resonance  
imaging (*Continued*)  
of pelvis, 353  
of spleen, 316  
principles of, 454–462  
relaxivity theory in, 455–457  
specialty applications of, 470–471
- Coracoacromial arch, abnormalities of, 411,  
412f
- Corpus callosum  
abnormalities of, in multiple sclerosis, 78–  
79, 80f  
agenesis of, 102, 102f
- Correlation times, 456–457
- Cortical contusion, 64f
- Cortical desmoid, 394
- Cortical infarction, 56f
- Corticotropin-producing adenoma, 22
- Cortisol-producing adenoma, 330
- Craniopharyngioma, 23–24, 24f
- Craniovertebral anomalies, 98, 99f
- Cruciate ligament, tear of, 388–389,  
390f–391f
- Cryptococcosis, parenchymal brain infection  
in, 89f
- CT. *See* Computed tomography.
- Cushing's syndrome, 22, 330
- Cyst  
adrenal, 337  
aneurysmal bone, 127–128, 445, 445f  
arachnoid, 20–21, 21f, 100, 101f  
brain, 19–20, 20f, 71  
breast, 244  
bronchogenic, 260f  
colloid, 14, 15f  
dermoid, 19–20, 20f, 198, 370, 373f  
endometrial, 370, 371f–372f  
epidermoid, 19, 20f, 198  
facial skeleton, 240, 241  
hepatic, 302, 303f–305f, 305  
knee, 395, 397f, 398f  
lumbar, 181, 182f, 198, 209, 214f  
mediastinal, 258, 261f  
müllerian duct, 377  
nasopharyngeal, 230, 231f  
neck, 242  
oropharyngeal, 233  
ovarian, 369–370, 369f, 373f  
pancreatic, 326  
paranasal sinus, 235, 236f  
pineal, 11, 12f  
prostatic, 377, 380  
proteinaceous, 437  
renal, 337, 341, 342f, 349f  
seminal vesicle, 381f, 382  
soft tissue, benign, 437  
spinal meningeal, 181, 182f  
splenic, 318, 320, 320f  
sublingual gland, 233–234, 234f  
testicular, 382  
utricular, 377  
wrist/hand, 421, 421f
- Cystadenoma, serous, of pancreas, 326, 329f
- Cystic encephalomalacia, in cerebral  
infarction, 53, 53f
- Cystic renal cell carcinoma, 341, 343f, 345
- Cytotoxic edema, in cerebral ischemic  
disease, 48, 49–50, 49f–50f
- Dandy-Walker malformation, cerebral  
anomalies in, 100, 101f
- Degenerative disease  
in cerebellum, 76f, 77  
in lumbar spine, 209, 214–216, 214f–215f
- Degenerative spinal stenosis  
cervical, 118, 119f, 120f  
lumbar, 184–187, 185f–187f
- Demyelination. *See* Dysmyelinating disease.
- Dens fracture, after cervical trauma, 141,  
144f
- Dentigerous cyst, 241
- Deoxyhemoglobin  
in intraparenchymal hematoma, 31  
in petechial hemorrhage, 53, 54f  
MRI signal characteristics of, 29, 29f
- Dermatomes, in lumbar spine, 174
- Dermoid cyst  
of brain, 19–20, 20f  
of lumbar spine, 198  
of ovary, 370, 373f
- Desmoid, cortical, 394
- Diamagnetic substance, 455
- Diastematomyelia, in lumbar spine, 176–177,  
178f
- Diffusion, 2, 455
- Diffusion imaging  
in cerebral ischemic disease, 49–50, 49f  
in lacunar infarction, 66
- Dilated cardiomyopathy, 283
- Dilated perivascular spaces  
hyperintense white matter foci in, 71  
locations of, 69, 69f–70f, 87, 88f  
vs. lacunar infarction, 87
- Dipole-dipole relaxation, 28, 456
- Discoid meniscus, 386, 387f
- Disk herniation  
annular tear in, 216, 216f  
categories of, 216  
disk (annular) bulge in, 216, 217f  
disk extrusion in, 216, 219f–222f, 223  
disk protrusion in, 216, 218f  
in cervical spine, 141, 142f–143f, 146–149,  
147f–150f  
in lumbar spine, 209, 211f–212f, 216–227,  
216f–227f  
in thoracic spine, 169, 171f, 172f
- Disk space infection, of lumbar spine, 187,  
188f–189f
- Diskectomy  
cervical, 150, 152f, 153f, 155  
lumbar, scarring after, 209, 210f
- Dolichoectasia, vertebrobasilar, 40–41, 42f
- Dorsal dermal sinus, in lumbar spine, 177,  
179f
- Dorsal root ganglion, enhancement of,  
174–175
- Doughnut sign, in liver metastasis, 310, 310f
- Dural arteriovenous fistula, 167, 168f
- Dural arteriovenous malformation, 44
- Dural enhancement, postsurgical, 92, 93f
- Dural sinus, meningioma involving, 17f
- Dynamic MRI. *See* Perfusion imaging.
- Dysmyelinating disease, 111, 113f–115f,  
114–116. *See also* White matter disease.
- Dysrhythmic right ventricular dysplasia,  
283–284
- ECG-gated spin echo imaging, in heart  
disease, 279
- Echinococcal disease, in liver, 305, 306f
- Echo planar imaging, 461
- Echo time, 2, 457
- Echocardiography, 272
- Ectopia, of cerebellar tonsils, 121
- Edema  
after spinal cord injury, 140, 140f  
in arteriovenous malformation, 45



- Edema (*Continued*)  
 in cerebral ischemic disease, 48, 49–50, 49f–50f  
 in partially thrombosed intracranial aneurysm, 39
- Effusion  
 in knee injuries, 398  
 pericardial, 285, 288
- Elbow, MRI of, 424–425, 426f–429f
- Elderly persons, small vessel ischemic disease in, 69, 71, 82, 83f
- Embolism  
 cerebral, 63  
 pulmonary, 267, 272, 272f, 479, 480f
- Empyema  
 epidural, 94, 94f  
 subdural, 94
- Encephalitis  
 in herpes simplex virus, 91, 91f  
 in HIV infection, 94, 95f  
 in toxoplasmosis, 97
- Encephalomalacia, cystic, in cerebral infarction, 53, 53f
- Encephalopathy  
 hypertensive, 71  
 Wernicke's, 85, 86f
- Encephalotrigeminal angiomatosis, 45, 110, 110f
- Enchondroma, 437, 440f
- End plate changes  
 in cervical spine, 150, 151f  
 in lumbar spine, 214–216, 215f
- Endometrial carcinoma, 363, 364f–365f
- Endometriosis, 370, 371f–372f
- Eosinophilic granuloma. *See* Langerhans cell granulomatosis.
- Eovist (gadoteric acid disodium), 465
- Ependymoma  
 of brain, 15  
 of lumbar spine, 100f, 199  
 of thoracic spine, 164
- Epidermoid cyst  
 of brain, 19, 20f  
 of lumbar spine, 198
- Epidural abscess, cervical spine findings in, 125–126, 126f
- Epidural empyema, 94, 94f
- Epidural hematoma, 33–34, 34f, 94  
 cord compression from, 141, 144f
- Epidural hemorrhage, 168–169
- Epidural lipomatosis, of thoracic spine, 156–157
- Epidural venous plexus  
 in cervical spine, 117  
 in lumbar spine, 174
- Esophagus, MRI of, 258
- Facet, perched, in cervical spine, 145f, 146
- Facet joint hypertrophy, in degenerative lumbar spinal stenosis, 184, 186f
- Facial skeleton lesions, 240–241
- Fat  
 deposition of, in lumbar spine, 209  
 on fast spin echo scan, 2
- Fat suppression techniques  
 in abdomen, 289, 290f  
 in adrenal gland, 330  
 in breast, 243  
 in detection of optic neuritis, 82  
 in pancreas, 320, 321f  
 in short TI recovery scans, 457, 460f
- Femoral epiphysis, capital, slipped, 410, 411f
- Femoral head, Legg-Calvé-Perthes disease in, 400, 402, 410
- Femoral neck fracture, 402, 405f
- Feridex (ferumoxides), for liver imaging, 471
- FerriSeltz (Nyomed), for gastrointestinal imaging, 471, 472
- Ferritin, MRI signal characteristics of, 30–31
- Ferromagnetic substance, 35–36, 455
- Fibroadenoma, of breast, 244, 250, 250f–252f
- Fibrocystic disease, in breast, 244
- Fibrolamellar carcinoma, of liver, 294, 295f, 296f
- Fibroma, 437, 437f
- Fibromatosis, 437
- Fibro-osseous lesions, of paranasal sinus, 237, 239
- Fibrous histiocytoma, malignant, 437, 438f
- Fibroaxanthoma, 437
- Fibular collateral ligament, in knee, 389
- Field of view, in contrast-enhanced magnetic resonance angiography, 478, 478f
- Filum terminale, fatty, 181
- Fissural cyst, of facial skeleton, 241
- Flexion injury, of lumbar spine, 204
- Flexion-rotation injury, of cervical spine, 141, 145f
- Floor of the mouth  
 infection of, 234  
 tumor of, 233
- Fluid attenuated inversion recovery (FLAIR) scan  
 in lacunar infarction, 66–67  
 in multiple sclerosis, 79  
 in subarachnoid hemorrhage, 34  
 of brain, 2
- Focal nodular hyperplasia, of liver, 294, 299f–301f, 300
- Follicular cyst, of facial skeleton, 241
- Foot, 425, 429–432  
 anatomy of, 429–430  
 ligament injuries of, 432, 434f  
 MRI techniques in, 429  
 pathology in, 430–432, 430f–435f  
 tendon injuries of, 430–432, 431f–434f
- Foramen magnum, meningioma of, 128, 133f
- Foraminal stenosis, 184, 187, 187f
- Forearm, MRI of, 424–425, 426f–429f
- Fracture  
 ankle/foot, 430  
 cervical, 141, 144f  
 hip, 402, 404f–405f  
 insufficiency, 402, 404f  
 lumbar, 204  
 stress  
 MRI findings in, 453, 453f  
 of femoral neck, 402, 405f  
 thoracic, 169  
 wrist/hand, 421–423, 422f–423f
- Free fragment, in lumbar disk herniation, 225f–227f, 227
- Frontal lobe, arteriovenous malformation in, 45f
- Fusiform aneurysm, 36
- Gadobenate dimeglumine (MultiHance), 462, 464–465, 466f–469f
- Gadobutrol (Gadovist), 462, 465
- Gadolinium chelates, 462–471. *See also* Contrast agents.  
 adverse reactions to, 1, 463–464  
 clinical trial experience with, 469–470, 470f  
 development of, 461–462  
 dosage of, 1, 461, 469–470, 470f  
 for magnetic resonance angiography, 472, 473–474
- Gadolinium chelates (*Continued*)  
 in clinical trials, 464–465  
 in current use, 1, 462–463  
 in vivo stability of, 461, 461f  
 low dose, 465, 469, 470–471  
 mechanism of lesion enhancement with, 1–2, 461  
 off-label use of, 472  
 oral, 471  
 physicochemical properties of, 1, 461, 461t  
 specialty applications of, 470–471  
 T<sub>1</sub> effects of, 461  
 T<sub>2</sub> effects of, 462
- Gadolinium-DTPA (Magnevist), 1, 461t, 462–463  
 oral, 353, 471
- Gadolinium-DTPA-BMA (Omniscan), 1, 461t, 462, 463
- Gadolinium-HP-DO3A (ProHance), 1, 461t, 462, 463, 463f
- Gadovist (gadobutrol), 462, 465
- Gadoxetic acid disodium (Eovist), 465
- Ganglion cyst  
 of wrist/hand, 421, 421f
- Ganglioneuroblastoma, of thoracic spine, 164
- Ganglioneuroma  
 of adrenal gland, 332, 334f  
 of thoracic spine, 164, 166f
- Gangliosidosis, 115f
- Gastrinoma, of pancreas, 326
- GastroMARK, for gastrointestinal imaging, 471
- Genicular artery, lateral inferior, 386
- Germ cell tumor, of brain, 11, 11f
- Germinoma, of brain, 11
- Giant cell tumor  
 MRI findings in, 445, 446f  
 of lumbar spine, 192–193
- Giant intracranial aneurysm, 39, 40f, 41f
- Glenohumeral joint  
 anatomy of, 410  
 instability of, 416–417, 416f–417f
- Glenoid labrum, tear of, 416, 416f–417f
- Glioblastoma multiforme, 3–4, 3f, 4f
- Gliosis  
 in arteriovenous malformation, 45  
 in cerebral infarction, 53
- Glomus tumor, of parapharyngeal space, 232
- Gradient echo imaging  
 description of, 457, 460  
 in aortic dissection, 267, 267f  
 in contrast-enhanced magnetic resonance angiography, 473  
 in heart disease, 273, 279  
 in hemorrhage, 35–36  
 of abdomen, 289  
 of brain, 2  
 of cervical spine, 117  
 of knee, 383  
 of temporomandibular joint, 417
- Granuloma, of spleen, 318
- Granulomatosis, Langerhans cell  
 of brain, 25, 26f  
 of cervical spine, 128
- Gray matter, heterotopic, 106, 107f
- Great arteries, transposition of, 275, 276f–279f
- Halo sign, in liver metastasis, 310, 310f
- Hamstring tendon, avulsion of, 402, 406f
- Hand, 420–424  
 anatomy of, 420–421  
 avascular necrosis in, 421, 422f

- Hand (*Continued*)  
 contrast-enhanced magnetic resonance angiography of, 490, 491f, 492  
 fractures of, 421–423, 422f–423f  
 ganglion cyst of, 421, 421f  
 ligament injuries of, 423–424, 424f–425f  
 MRI techniques in, 420  
 pannus formation in, 421, 423  
 tendon injuries of, 424, 425f
- Hangman's fracture, 141
- Head, MRI imaging protocol for, 228–229
- Heart disease  
 acquired, 278–281, 280f  
 congenital, 272–278, 273f–279f  
 ischemic, 281–282, 282f
- Hemangioblastoma  
 of brain, 12, 14, 14f  
 of cervical spine, 128, 133f
- Hemangioendothelioma, of spleen, 318
- Hemangioma  
 lingual, 234, 234f  
 MRI findings in, 436–437, 436f  
 of liver, 301f, 304f, 310, 311f–312f  
 of parotid gland, 234  
 of spleen, 318, 319f  
 vertebral  
 MRI findings in, 445  
 of lumbar spine, 192, 192f
- Hemangiosarcoma, of liver, 310
- Hematologic neoplasia, of thoracic spine, 160, 163–164, 163f–164f
- Hematoma  
 epidural, 33–34, 34f, 94  
 cord compression from, 141, 144f  
 intracerebral (intraparenchymal), 31, 32f  
 in arteriovenous malformation, 44, 45f  
 in embolic cerebral infarction, 63  
 in intracranial aneurysm, 36, 38f  
 vs. thrombotic cerebral infarction, 61  
 intramural, in thoracic aorta, 484  
 MRI findings in, 436  
 acute, 29, 29f  
 subacute, 29–30, 30f  
 subdural, 31–33, 33f, 94, 94f
- Hematopoiesis, extramedullary, thoracic involvement in, 169
- Hemochromatosis, hepatocellular carcinoma in, 294
- Hemoglobin, degradation of, 29–31, 29f–30f
- Hemorrhage  
 epidural, 168–169  
 hemoglobin degradation pattern in, 29–31, 29f–30f  
 in amyloid angiopathy, 74  
 in brain metastases, 9–10, 10f  
 in cerebral infarction, 53, 54f, 63, 77  
 in cerebral ischemia, 48–49  
 in intracranial aneurysm, 36, 38f, 39  
 in pituitary adenoma, 23  
 intracranial, 28–36  
 intramural, arterial dissection with, 73–74  
 intraventricular, 35, 35f  
 paranasal sinus, 237  
 petechial, 53, 54f  
 spinal cord, 140, 140f  
 subarachnoid, 34–35, 35f, 168  
 in intracranial aneurysm, 36  
 vasospasm-induced, 72  
 subdural, 168–169
- Hemosiderin  
 in intraparenchymal hematoma, 31, 32f  
 in petechial hemorrhage, 53  
 in subarachnoid hemorrhage, 34  
 in subdural hematoma, 32, 33f  
 MRI signal characteristics of, 30–31
- Hemosiderosis, superficial, in subarachnoid hemorrhage, 34
- Hepatic. *See* Liver.
- Hepatoblastoma, 305, 309f
- Hepatocellular adenoma, 294, 297f, 298f
- Hepatocellular carcinoma, 294, 295f, 296f
- Herniated disk. *See* Disk herniation.
- Herpes simplex virus encephalitis, 91, 91f
- Heterotopic gray matter, 106, 107f
- Heubner, recurrent artery of, 54, 55f
- Hill-Sachs deformity, 416–417
- Hip, 399–410  
 avascular necrosis in, 399–402, 401f–402f  
 bursitis of, 402, 408f, 409f  
 MRI techniques in, 399–400  
 muscle strain of, 402, 407f  
 osteoporosis of, transient, 402, 403f  
 pediatric disorders of, 402, 410, 411f  
 trauma to, 402, 404f–409f
- HIV infection  
 brain infections in, 94, 95f–97f, 97  
 encephalitis in, 94, 95f  
 lymphoma in, 8, 8f, 97  
 opportunistic infections in, thoracic, 157  
 progressive multifocal leukoencephalopathy in, 96f, 97, 97f  
 toxoplasmosis in, 96f, 97
- Hodgkin's lymphoma  
 of liver, 305  
 of mediastinum, 258, 261f  
 of spleen, 318
- Holoprosencephaly  
 alobar, 102  
 lobar, 104  
 semilobar, 102, 103f, 104
- Human immunodeficiency virus infection. *See* HIV infection.
- Humphry's ligament, 386, 387f
- Hunter's disease, 114
- Huntington's disease, 76f, 77
- Hurler's disease, 114, 115f, 116
- Hyaline, leiomyoma with, 358, 362f
- Hydrocephalus, 14–15
- Hydroxyringomyelia  
 in Chiari type I malformation, 122, 122f  
 of cervical spine, 136–137, 137f–139f
- Hyperaldosteronism, 330
- Hyperintense, definition of, 29
- Hyperintense foci, in white matter disease, 69, 71, 71f
- Hyperplasia  
 of liver, focal nodular, 294, 299f–301f, 300  
 of prostate, benign, 377, 378f–379f
- Hypertensive encephalopathy, 71
- Hypertrophic cardiomyopathy, 283, 283f
- Hypertrophic end plate spurs, in cervical spine, 150, 151f
- Hypointense, definition of, 29
- Hypopharynx, MRI of, 241–242
- Hypoxic-ischemic injury, to brain, 72–73, 73f, 84–85, 84f–85f
- Iliac insufficiency fracture, 404f
- Iliopsoas bursitis, 402, 409f
- Iliotibial band, 389
- Image contrast. *See* Contrast agents;  
 Contrast-enhanced magnetic resonance angiography; Contrast-enhanced magnetic resonance imaging.
- Imaging coils  
 in breast, 243  
 in head and neck, 228  
 in heart, 279–280  
 in lumbar spine, 174
- Imaging coils (*Continued*)  
 in mediastinum, 258  
 in pelvis, 353  
 in prostate, 375  
 in temporomandibular joint, 417  
 in thoracic aorta, 481  
 in wrist, 420
- Imaging plane  
 in astrocytoma, 4  
 in head and neck, 228  
 in heart, 280
- Imaging principles  
 in cerebrovascular disease, 49–53, 49f–54f  
 in contrast-enhanced magnetic resonance imaging, 454–462
- Imaging sequences  
 in abdomen, 289  
 in brain, 2–3  
 in breast, 243  
 in contrast-enhanced magnetic resonance angiography, 474, 475f  
 in contrast-enhanced magnetic resonance imaging, 457–461, 458f–460f  
 in head and neck, 228  
 in pelvis, 353
- Imaging techniques. *See specific technique, e.g.,* Gradient echo imaging.
- Immunocompromised patient, CNS lymphoma in, 8
- Impingement syndrome, in shoulder, 410–416, 412f–415f
- Implant  
 breast, 253, 256f, 257f  
 temporomandibular joint, 420
- Incidentaloma, 334, 335f
- Infants. *See also* Children.  
 cerebral infarction in, 73, 73f  
 gadolinium chelate use in, 472  
 herpes simplex encephalitis in, 91  
 hypoxic-ischemic brain injury in, 72, 73, 73f, 85, 85f  
 lumbar spine in, 175  
 myelination in, 111, 111f–112f  
 periventricular leukomalacia in, 72, 73f, 85  
 ventricular size and width in, 111
- Infarction  
 cerebral. *See* Cerebral infarction.  
 cortical, 56f  
 myocardial, 281–282, 282f  
 spinal cord  
 cervical, 128, 132f  
 thoracic, 168, 169f  
 spleen, 318
- Infection and inflammatory disease. *See also* Abscess.  
 in brain, 87, 89–97  
 computed tomography in, 78  
 in AIDS, 94, 95f–97f, 97  
 meningeal, 92, 92f–94f, 94  
 parenchymal, 89, 89f–92f, 91–92  
 in cervical spine, 125–128, 126f–127f  
 in facial skeleton, 241  
 in female pelvis, 370  
 in lumbar spine, 187–192, 188f–191f  
 in parapharyngeal space, 232  
 in prostate, 377  
 in salivary gland, 235  
 in spleen, 317–318  
 in thoracic spine, 157  
 in tonsillar fossa, 234
- Inferior vena cava  
 interruption of, 275  
 thrombus formation in, 345
- Inflammatory disease. *See* Infection and inflammatory disease.

- Infratentorial space, tumors of, 11–14, 13f–14f
- Inner-sphere relaxation, 456
- Innominate artery disease, contrast-enhanced magnetic resonance angiography of, 481, 483
- Insufficiency fracture, 402, 404f
- Insulinoma, of pancreas, 326
- Internal capsule, lacunar infarction involving, 65f, 66f
- Internal carotid artery, infarction of, atherosclerotic thrombotic, 60
- Intervertebral disk, in lumbar spine, 174
- Intracranial aneurysm, 36–40  
diagnostic pitfalls in, 39  
giant, 39, 40f, 41f  
incidence of, 36  
MRI of  
angiographic, 39, 39f, 474  
contraindications to, 39–40  
conventional, 36, 37f–38f, 39, 40f–41f  
flow in, 39  
ruptured, 36, 38f, 39, 40f–41f  
sites of, 36, 37f–38f  
thrombosis of, 39
- Intracranial arteries, spasm of, 72
- Intradural extramedullary arteriovenous fistula, 167
- Intradural lipoma, 193, 198, 198f, 199f
- Intramedullary arteriovenous malformation, 167
- Inverted papilloma, of nares, 230
- Iopendylate (Pantopaque), residual, in thoracic spine, 156
- Iron, for liver imaging, 471, 472
- Ischemia  
cerebral. *See* Cerebral ischemia.  
in arteriovenous malformation, 45  
mesenteric, 489  
small vessel. *See* Small vessel ischemic disease.  
spinal cord  
cervical, 128, 132f  
thoracic, 168, 169f
- Ischemic heart disease, 281–282, 282f
- Ischemic-gliotic cerebrovascular disease, 69, 71, 71f
- Ischemic-hypoxic injury, to brain, 72–73, 73f, 84–85, 84f–85f
- Islet cell tumor, 326, 327f
- Isointense, definition of, 29
- Jefferson's fracture, 141
- Jugular vein, MRI of, 242
- Jugulodigastric lymph nodes, 241
- Juvenile angiofibroma, of nasopharynx, 230, 231f
- Juvenile pilocytic astrocytoma, 3
- Kidney, 337, 340–352. *See also* Renal entries.  
agenesis of, seminal vesicle cyst with, 381f, 382  
angioliipoma of, 341, 344f  
cyst of, 337, 341, 342f, 349f  
leukemic infiltration in, 351, 351f  
lipoma of, 345  
lymphoma of, 345  
metastasis to, 345  
MRI of  
indications for, 337  
techniques in, 340  
nephroblastoma of, 345, 350f
- Kidney (*Continued*)  
nephroblastomatosis of, 345, 351, 351f  
normal, 340  
oncocytoma of, 337, 345  
thrombus formation in, 345  
transitional cell carcinoma of, 340, 345  
transplantation of, imaging in, 352  
tumors of  
histopathologic classification of, 337, 340, 340f  
in children, 345, 351, 351f  
mesenchymal, 337  
MRI classification of, 340, 341f  
parenchymal, 337  
rhabdoid, 340
- Kienböck's disease, 421, 422f
- Klippel-Feil syndrome, cervical spine findings in, 118, 121, 121f
- Knee  
bone marrow abnormalities in, 395, 395f–397f  
cartilage injuries of, 394  
chondromalacia patella in, 398  
cystic lesions around, 395, 397f, 398f  
effusions in, 398  
ligament injuries of, 388–389, 390f–393f  
meniscus of, 383–388  
abnormalities of  
grading system for, 384, 384f–385f  
pitfalls in detection of, 386–388, 387f–388f  
degeneration of, 384f, 385  
discoid, 386, 387f  
normal, 383, 384f  
postoperative, 388, 388f–389f  
tears of, 383–384, 385–386, 385f–386f  
MRI techniques in, 383  
pigmented villonodular synovitis of, 398–399, 399f  
tendon injuries of, 389, 393f–394f, 394
- Kupffer cells, contrast agents targeted to, 289
- Lactation, contrast use during, 462
- Lacunar infarction, 65–69  
clinical presentation in, 65–66  
MRI findings in, 65f–68f, 66–69  
pathogenesis of, 65  
vs. dilated perivascular spaces, 87
- Langerhans cell granulomatosis, 25, 26f, 128
- Larynx  
MRI of, 241–242  
squamous cell carcinoma of, 242
- Lateral collateral ligament, in knee, tear of, 389, 392f
- Lateral inferior genicular artery, 386
- Lateral medullary infarction, 67, 68f, 69
- Lateral pterygoid muscle, 417
- Lateral recess stenosis, 184, 186f
- Legg-Calvé-Perthes disease, 400, 402, 410
- Leigh's disease, 114, 115f
- Leiomyoma, of uterus, 358, 360f–362f
- Leiomyosarcoma, of uterus, 363
- Lenticulostriate arteries, distribution of, 54, 55f
- Leptomeningeal metastasis  
brain, 21, 21f  
cervical, 135–136, 135f–136f  
lumbar, 193, 196f, 199, 204, 204f, 205f  
thoracic, 160
- Leukemia  
renal involvement in, 351, 351f  
spinal involvement in, 163
- Leukoencephalopathy, progressive multifocal, 96f, 97, 97f
- Leukomalacia, periventricular, 72, 73f, 85
- Ligament injuries. *See also specific ligament, e.g.,* Posterior longitudinal ligament.  
of ankle/foot, 432, 434f  
of elbow/forearm, 425, 428f  
of knee, 388–389, 390f–393f  
of wrist/hand, 423–424, 424f–425f
- Ligamentum flavum  
in lumbar spine, 174  
thickening of, in degenerative spinal stenosis, 184, 185f
- Lipoma  
calcaneal, 448f  
intracranial, 102, 103f  
intradural, 193, 198, 198f, 199f  
MRI findings in, 436  
of atrium, 288  
of chest wall, 263  
of kidney, 345  
of parotid gland, 234
- Lipomatosis  
epidural, 156–157  
extradural, 169
- Lipomyelomeningocele, of lumbar spine, 177
- Liposarcoma, 436
- Lissencephaly, 105
- Liver, 289–314  
adenoma of, 294, 297f, 298f  
blood supply of, 290  
Budd-Chiari syndrome in, 314, 315f  
carcinoma of, 294, 295f, 296f  
cholangiocellular carcinoma of, 313–314, 313f  
contrast agents specific to, 289, 462, 464–465, 466f–469f, 471  
contrast-enhancement pattern in, 290–291  
cyst of, 302, 303f–305f, 305  
echinococcal disease in, 305, 306f  
focal nodular hyperplasia of, 294, 299f–301f, 300  
hemangioma of, 301f, 304f, 310, 311f–312f  
hemangiosarcoma of, 310  
lesions of  
classification of  
histopathologic, 291, 293f  
in T<sub>1</sub>-weighted dynamic imaging, 291–294, 291f–293f  
in T<sub>2</sub>-weighted imaging, 314, 314f  
hypervascular, 292f, 294–302, 295f–302f  
hypovascular, 292f, 302–310, 303f–310f  
with delayed persistent enhancement, 293f, 310–314, 311f–313f  
lymphoma of, 305  
metastasis to  
doughnut sign in, 310, 310f  
halo sign in, 310, 310f  
hypervascular, 300, 302, 302f  
hypovascular, 305, 307f, 308f, 310, 310f  
peliosis of, 310  
portal thrombosis of, 314  
transplantation of, contrast-enhanced magnetic resonance angiography in, 488
- Long head of the biceps tendon, impingement on, 416
- Longitudinal relaxation time. *See* T<sub>1</sub> relaxation.
- Loose bodies, in knee, 395, 396f, 397f
- Lower extremity, contrast-enhanced magnetic resonance angiography of, 489–490, 490f–491f
- Lumbar spine, 174–227  
achondroplasia of, 181  
ankylosing spondylitis of, 209, 213f  
annular bulge in, 216, 217f  
annular tear in, 216, 216f

- Lumbar spine (*Continued*)  
 anterior sacral meningocele of, 176  
 arachnoiditis of, 187, 190–192, 190f–191f  
 caudal regression in, 175–176, 176f  
 Chance fracture of, 204  
 chordoma of, 193  
 compression fracture of, 204  
 congenital disease in, 175–181, 176f–180f, 182f–183f  
 degenerative disease in, 209, 214–216, 214f–215f  
 dermoid of, 198  
 diastematomyelia of, 176–177, 178f  
 disk herniation in  
 free fragment in, 225f–227f, 227  
 location of, 216, 219f–222f, 223  
 myelographic findings in, 223  
 nerve root enhancement in, 223, 224f, 227  
 recurrent or residual, 209, 211f–212f  
 resolution of, after conservative therapy, 223, 223f  
 disk space infection in, 187, 188f–189f  
 dorsal dermal sinus in, 177, 179f  
 end plate changes in, 214–216, 215f  
 ependymoma of, 100f, 199  
 epidermoid of, 198  
 fat deposition in, 209  
 fatty filum terminale in, 181  
 flexion injury to, 204  
 giant cell tumor of, 192–193  
 in infant, 175  
 infection and inflammatory disease in, 187–192, 188f–191f  
 leptomeningeal metastasis in, 193, 196f, 199, 204, 204f, 205f  
 lipomyelomeningocele of, 177  
 lymphangioma of, 198–199  
 meningeal cyst of, 181, 182f  
 MRI techniques in, 174–175  
 myelomeningocele of, 176, 177f  
 neoplastic disease in, 192–204, 192f, 194f–205f  
 neurofibroma of, 101f, 103f, 199  
 normal, 174–175  
 osteoid osteoma of, 192  
 plasma cell myeloma of, 193  
 postoperative, 207, 208f, 209, 210f–212f  
 pseudomeningocele of, 207  
 retrolisthesis of, 206–207, 208f  
 Schmorl's node in, 209  
 schwannoma of, 102f, 199  
 spina bifida occulta in, 175  
 spondylolisthesis of, 206, 206f, 207f  
 spondylolysis of, 204, 206, 207f  
 stenosis of, 181, 184–187, 184f–187f  
 synovial cyst of, 209, 214f  
 teratoma of, 198  
 tethered cord in, 177, 180f, 181  
 transitional vertebrae in, 175  
 traumatic injury to, 204, 206–209, 206f–208f, 210f–212f  
 vertebral body hemangioma of, 192, 192f  
 vertebral metastasis in, 193, 194f–197f  
 Lumbosacral nerve root anomalies, 181, 183f  
 LumenHance, for gastrointestinal imaging, 471–472  
 Lunate bone, avascular necrosis in, 421, 422f  
 Lung. *See also* Pulmonary *entries*.  
 cancer of, with mediastinal invasion, 258, 262f  
 contrast-enhanced magnetic resonance angiography in, 478–479, 480f–481f  
 MRI of, 258, 263  
 parenchymal lesions of, 263
- Lupus erythematosus, cerebral injury in, 71–72, 72f, 84  
 Luschka joints, spurring of, 118, 120f  
 Lymph nodes  
 cervical, 241  
 in mediastinum, 258, 262f  
 Lymphangioma  
 MRI findings in, 436–437, 436f  
 of lumbar spine, 198–199  
 of spleen, 318  
 Lymphoma  
 of central nervous system, 7–8, 8f, 97  
 of kidney, 345  
 of liver, 305  
 of mediastinum, 258, 261f  
 of spleen, 318  
 of thoracic spine, 160, 163f  
 primary, 448f  
 Lysosomal storage diseases, 114
- Magnetic susceptibility, definition of, 35  
 Magnetization transfer suppression, of  
 background tissue signal, 457, 459f  
 Magnevist (gadolinium-DTPA), 1, 461t, 462–463  
 oral, 353, 471  
 Malignant fibrous histiocytoma, 437, 438f  
 Mallinckrodt (AngioMARK, Optimark), 463, 465  
 Mandible  
 anatomy of, 417–418  
 lesions of, 240–241  
 Manganese  
 for gastrointestinal imaging, 471–472  
 for liver imaging, 471  
 Manganese (Mn)-DPDP (Nycomed, Teslascan), for liver imaging, 471  
 Marfan's syndrome, 266–267  
 Mastoiditis, parenchymal brain infection in, 90f  
 Maxilla, lesions of, 240–241  
 Maxillary sinus, squamous cell carcinoma of, 239, 239f  
 Maximum intensity projection (MIP) image  
 in pulmonary embolism, 479  
 in renal artery stenosis, 486f, 487f  
 McAlpine's scale, 78  
 Medial collateral ligament, in knee, tear of, 389, 392f–393f  
 Medial medullary infarction, 69  
 Median nerve, 421  
 in carpal tunnel syndrome, 423, 423f, 424f  
 Mediastinum  
 mass in  
 primary, 258, 259f–261f  
 secondary, 258, 262f  
 MRI of, indications for, 258  
 Medullary infarction, 67, 68f, 69  
 Medulloblastoma, of brain, 12, 14f  
 Megalencephaly, unilateral, 106  
 Meningeal carcinomatosis, 21f  
 Meningeal contrast enhancement, in cerebral infarction, 51, 52f  
 Meningeal cyst, spinal, 181, 182f  
 Meningeal disease, MRI findings in, 92, 92f–94f, 94  
 Meningioma  
 convexity, 16f  
 en plaque, 17, 18f  
 extra-axial, 15–17, 16f–18f  
 falx, 16f  
 intraventricular, 15  
 of cavernous sinus, 17, 459f  
 of cerebellopontine angle, 17
- Meningioma (*Continued*)  
 of cervical spine, 128, 133f  
 of thoracic spine, 164, 167, 167f  
 parasellar, 24  
 with sinus invasion, 16–17, 17f  
 Meningitis  
 bacterial, 93f  
 cerebral arteritis from, 72  
 viral, 92, 92f  
 Meningocele  
 in brachial plexus injury, 146, 147f  
 of lumbar spine, 176  
 of thoracic spine, 156  
 Meniscal cyst, of knee, 395, 398f  
 Meniscofemoral ligament, 386, 387f  
 Mesenchymal tumors, of kidney, 337  
 Mesenteric vasculature, contrast-enhanced magnetic resonance angiography of, 489  
 Metabolic storage diseases, 114, 116  
 Methemoglobin  
 in cerebral venous thrombosis, 75, 75f  
 in intraparenchymal hematoma, 31, 32f  
 in intraventricular hemorrhage, 35, 35f  
 in partially thrombosed intracranial aneurysm, 39  
 in petechial hemorrhage, 53, 54f  
 in subarachnoid hemorrhage, 34, 35f  
 in subdural hematoma, 32, 33f  
 MRI signal characteristics of, 29–30, 30f  
 Microcystic adenoma, of pancreas, 326, 329f  
 Microglioma, 7  
 Midbrain, dilated perivascular space in, 69, 70f, 87, 88f  
 Middle cerebral artery  
 bifurcation aneurysm of, 36, 37f, 38f, 39f  
 distribution of, 54, 55f  
 infarction of, 54, 55f, 56f, 60, 61f  
 Middle cranial fossa, arachnoid cyst of, 100  
 Migraine headache, vasospasm and, 72  
 Mitral regurgitation, 284, 284f  
 Mouth, benign lesions of, 233–234, 234f  
 Moyamoya, cerebrovascular disease in, 74, 75f  
 Mucinous cystic neoplasm, of pancreas, 326  
 Mucocele, of paranasal sinus, 237, 238f  
 Mucopolysaccharidoses, 114  
 Mucosal thickening, in paranasal sinus, 235, 237, 238f  
 Müllerian duct  
 anomalies of, 357–358, 357f, 359f  
 cyst of, 377  
 Müllerian mixed sarcoma, of uterus, 363  
 MultiHance (gadobenate dimeglumine), 462, 464–465, 466f–469f  
 Multiple myeloma, spinal involvement in, 163–164, 163f, 164f, 193  
 Multiple sclerosis, 78–82  
 brain lesions in  
 locations of, 78–79, 79f–80f  
 periventricular, 81  
 visualization of, 79, 81  
 vs. cerebral arteritis, 72  
 clinical presentation in, 78  
 hyperintense white matter foci in, 71  
 McAlpine's scale in, 78  
 spinal lesions in, 81–82, 154f–155f, 155, 173, 173f  
 Musculoskeletal system MRI, 383–453. *See also specific joint, e.g., Knee.*  
 anatomy and technique in, 436  
 indications for, 383  
 Myelination  
 disorders of, 111, 113f–115f, 114–116  
 normal, 110–111, 111f–113f  
 Myelinolysis, pontine, central, 76f, 77, 85



- Myelocystocele, terminal, 181
- Myelographic findings, in lumbar disk herniation, 223
- Myelolipoma, of adrenal gland, 334, 337, 338f–339f
- Myelomeningocele  
in Chiari type II malformation, 99  
of lumbar spine, 176, 177f
- Myocardial infarction, 281–282, 282f
- Myocardial tagging, 280, 282, 282f
- Myocardium, normal, 281
- Myxoid fibroadenoma, of breast, 244, 250, 250f–252f
- Myxoid liposarcoma, 436
- Myxoid sarcoma, 287f, 288
- Myxoma, of atrium, 286f, 288
- Myxomatous degeneration, leiomyoma with, 358, 362f
- Nasopharynx  
benign lesions of, 230, 231f  
MRI of, indications for, 229  
squamous cell carcinoma of, 229–230, 229f, 241
- Neck  
lesions of, 241–242  
lymph nodes of, 241  
MRI imaging protocol for, 228–229, 241
- Necrosis  
avascular  
in hip, 399–402, 401f–402f  
in temporomandibular joint, 420  
in wrist/hand, 421, 422f  
radiation, 87, 87f
- Neonates. *See also* Infants.  
cerebral infarction in, 73, 73f  
myelination in, 111, 111f  
ventricular size and width in, 111
- Nephroblastoma, 345, 350f
- Nephroblastomatosis, 345, 351, 351f
- Nephroma, cystic, multilocular, 341
- Nerve root anomalies, lumbosacral, 181, 183f
- Nerve root enhancement, in lumbar disk herniation, 223, 224f, 227
- Neural foramina, 117  
degenerative disease in, 184, 187, 187f
- Neural tumor, of parapharyngeal space, 232
- Neuroblastoma  
of adrenal gland, 332, 333f, 335  
of thoracic spine, 164
- Neurocutaneous syndromes, 106, 108–110, 108f–110f
- Neurocysticercosis, parenchymal brain infection in, 90f
- Neuroenteric cysts, of thoracic spine, 156
- Neurofibroma  
MRI findings in, 437  
of lumbar spine, 101f, 103f, 199
- Neurofibromatosis  
of brain, 108–109, 108f  
of cervical spine, 123, 125, 125f  
of thoracic spine, 164
- Neuroforaminal spurring, 118, 120f
- Neurogenic tumors, of thoracic spine, 164, 166f
- Neurologic deficit, ischemic, reversible, 48
- Neuroma, acoustic, bilateral, 108–109, 108f
- Neuronal migration, congenital anomalies in, 104–106, 105f–107f
- Nose  
benign lesions of, 230, 231f  
MRI of, indications for, 229
- Nucleus pulposus, 174
- Odontogenic cyst, of facial skeleton, 241
- Oligodendroglioma, of brain, 5, 6f
- Olivopontocerebellar degeneration, 76f, 77
- Omniscan (gadolinium-DTPA-BMA), 1, 461t, 462, 463
- Oncocytoma, of kidney, 337, 345
- Ophthalmic artery aneurysm, 37f
- Opposed-phase imaging  
of abdomen, 289, 290f  
of adrenal gland, 330
- Optic neuritis, 82
- Optimark (versetamide, Mallinckrodt), 463
- Oropharynx  
benign lesions of, 233–234, 234f  
cystic lesions of, 233  
squamous cell carcinoma of, 232–233
- Os odontoidem, cervical spine findings in, 123, 124f
- Osgood-Schlatter disease, 389, 394
- Osler-Weber-Rendu disease, arteriovenous malformations in, 45
- Osseous injuries, after cervical trauma, 141, 144f
- Osteoblastic metastasis, lumbar, 193
- Osteochondritis, of temporomandibular joint, 420
- Osteochondritis dissecans  
of elbow, 425, 429f  
of knee, 395, 396f
- Osteochondroma  
MRI findings in, 437  
of cervical spine, 127
- Osteoid osteoma  
MRI findings in, 437, 443f, 444f  
of lumbar spine, 192
- Osteomyelitis  
MRI findings in, 449, 450f–452f  
of mandible, 241  
of thoracic spine, 157
- Osteonecrosis  
in hip, 399–402, 401f–402f  
in knee, spontaneous, 395, 395f
- Osteophytes, in cervical spine, 150, 151f
- Osteoporosis, of hip, transient, 402, 403f
- Osteoporotic compression fracture, of lumbar spine, 204
- Osteosarcoma, 447, 447f
- Outer-sphere relaxation, 456
- Ovary  
carcinoma of, 375, 376f–377f  
endometrial cyst involving, 370, 371f–372f  
normal, 367, 368f  
teratoma of, 370, 373f–374f, 375  
tumors of  
benign, 369–370, 369f  
differential diagnosis of, 368f  
malignant, 375, 376f–377f  
overview of, 367f
- Oxyhemoglobin, MRI signal characteristics of, 29
- Pachygyria, 104–105, 105f
- Palate, tumor of, 233
- Pancoast tumor, of brachial plexus, 263, 264f
- Pancreas, 320, 322–326  
carcinoma of  
contrast enhancement in, 324  
differential diagnosis of, 322, 323f, 324f  
double-duct sign in, 322, 324, 325f  
islet cell tumor of, 326, 327f  
microcystic adenoma of, 326, 329f  
MRI of, 320, 321f, 322  
pseudocyst of, 326, 328f  
tumors of, 322–326
- Pancreas (*Continued*)  
cystic, 326, 329f  
MRI classification of, 322, 323f  
pathologic classification of, 322, 322f
- Pancreatic duct  
carcinoma of, resectability criteria for, 324, 326f  
magnetic resonance cholangiopancreatography of, 289
- Pannus formation, in wrist/hand, 421, 423
- Pantopaque (iopendylate), residual, in thoracic spine, 156
- Papilloma  
choroid plexus, 14–15  
inverted, of nares, 230
- Paraganglioma, of adrenal gland, 330, 332, 332f
- Paramagnetic substance. *See also specific substance, e.g., Gadolinium.*  
definition of, 455  
gradient echo imaging of, 36  
relaxivity theory applied to, 455–457
- Paranasal sinus  
air-fluid level in, 235, 237, 237f  
benign lesions of, 235–239, 236f–238f  
fibro-osseous lesions of, 237, 239  
hemorrhage of, 237  
mucocele of, 237, 238f  
mucosal thickening in, 235, 237, 238f  
polyp of, 237  
retention cyst of, 235, 236f  
squamous cell carcinoma of, 239–240, 239f
- Parapharyngeal space, masses in, 232
- Parasellar meningioma, 24
- Parathyroid lesions, MRI of, 242
- Parenchymal contrast enhancement, in cerebral infarction, 51, 52f, 53
- Parenchymal disease  
in brain, 89, 89f–92f, 91–92  
in breast, 244, 248f–249f  
in kidney, 337  
in lung, 263
- Parieto-occipital watershed region, 64
- Parotid gland, tumors of, 234–235, 235f
- Patellar tendon  
degeneration of, 389  
dislocation of, 394, 394f  
rupture of, 389, 393f
- Peliosis  
hepatic, 310  
splenic, 318
- Pellegrini-Stieda disease, 394
- Pelvis, 353–382. *See also specific organ, e.g., Bladder.*  
female, 354, 356–375  
inflammatory disease in, 370  
nongynecologic masses of, 368f  
insufficiency fracture of, 402, 404f  
male, 375, 377–382  
MRI of, 353
- Perfusion imaging  
of brain, 50, 50f, 455, 460–461  
of liver, lesion classification based on, 291–294, 291f–293f  
technique for, 460
- Pericardial effusion, 285, 288
- Pericarditis, constrictive, 283, 284f, 285
- Pericardium, MRI of, 284–285, 284f
- Peripheral washout, in malignant liver lesions, 305, 307f, 308f
- Periventricular leukomalacia, 72, 73f, 85
- Peroneal tendon, tear of, 431–432, 433f
- Phakomatoses, 106, 108–110, 108f–110f
- Phase contrast methods, in measurement of blood flow velocity, 279

- Phase encoding, respiratory-ordered, 258
- Phase imaging, opposed  
of abdomen, 289, 290f  
of adrenal gland, 330
- Phenytoin, cerebellar degeneration from, 77
- Pheochromocytoma, 330, 332, 332f
- Pigmented villonodular synovitis, 398–399, 399f
- Pilocytic astrocytoma, 12, 13f  
juvenile, 3
- Pineal cyst, of brain, 11, 12f
- Pineoblastoma, 11
- Pineocytoma, 11, 11f
- Pituitary gland  
adenoma of, 22–23, 23f, 470–471  
normal, 22  
tumors of, 21–24, 23f–24f
- Plantar fasciitis, 432, 435f
- Plantar fibroma, 437, 437f
- Plantar fibromatosis, 437
- Plasma cell myeloma, of lumbar spine, 193
- Platybasia, 123
- Pleomorphic adenoma, of salivary gland, 234, 235f
- Polycystic kidney disease  
adult, 341, 342f  
autosomal-recessive, 337
- Polymicrogyria, 105, 106f
- Polyp  
nasal, 230  
paranasal sinus, 237
- Pons, lacunar infarction involving, 67, 68f
- Pontine glioma, 12, 13f
- Pontine myelinolysis, central, 76f, 77, 85
- Popliteal cyst, of knee, 395, 397f
- Popliteus tendon, 386, 388, 388f
- Portal thrombosis, 314
- Portal venous system, contrast-enhanced  
magnetic resonance angiography of, 485, 488, 488f
- Portosystemic shunt, transjugular  
intrahepatic, contrast-enhanced magnetic  
resonance angiography of, 488, 488f
- Posterior cerebral artery  
distribution of, 54, 55f  
infarction of, 54, 57f–58f
- Posterior cruciate ligament  
anatomy of, 388–389  
tear of, 388, 389, 391f
- Posterior fossa  
arachnoid cyst of, 20–21, 21f  
congenital anomalies of, 100, 101f, 102.  
*See also* Chiari malformation.  
lesions of, 11–14, 13f–14f
- Posterior longitudinal ligament  
in lumbar spine, 174  
ossification of, 118
- Posterior spinal artery, 117
- Posterior tibial tendon, tear of, 432, 434f
- Posteroinferior cerebellar artery  
distribution of, 54, 55f, 60  
infarction of, 62f
- Postoperative tumor detection, MRI in, 449
- Pregnancy, contrast enhancement during, 462
- Prestyloid space, salivary gland tumor arising  
in, 232
- Primitive neural ectodermal tumor  
cerebellar, 7  
supratentorial, 5, 7, 7f
- Progressive multifocal leukoencephalopathy,  
96f, 97, 97f
- ProHance (gadolinium-HP-DO3A), 1, 461t,  
462, 463, 463f
- Prolactinoma, pituitary, 22, 23f
- Proliferative dysplasia, of breast, 244,  
248f–249f
- Prostate  
carcinoma of, 380, 380f  
congenital anomalies of, 377, 380  
cyst of, 377, 380  
hyperplasia of, benign, 377, 378f–379f  
infection of, 377  
MRI of, 375, 377  
zonal anatomy of, 375
- Prosthetic implant, in temporomandibular  
joint, 420
- Proteinaceous cyst, 437
- Proton density, 2, 455
- Proton density image, definition of, 29
- Proton density-weighted scan, 2
- Proton-electron dipole-dipole interaction, 28
- Proton-electron dipole-dipole proton  
relaxation enhancement, 28
- Proton-proton dipole-dipole interaction, 28
- Pseudocyst  
of adrenal gland, 337  
of pancreas, 326, 328f  
of spleen, 320
- Pseudomeningocele, of lumbar spine, 207
- Pterygoid muscle, lateral, 417
- Pulmonary. *See also* Lung.
- Pulmonary artery, MRI of, 267, 272, 272f
- Pulmonary atresia, 275
- Pulmonary embolism, 267, 272, 272f, 479,  
480f
- Pulmonary regurgitation, 284, 285f
- Pulmonary thromboembolism, contrast-  
enhanced magnetic resonance  
angiography in, 479, 480f
- Pulmonary vasculature, contrast-enhanced  
magnetic resonance angiography of,  
478–479, 480f–481f
- Pulmonary veins, congenital anomalies of,  
275, 278
- Punctate enhancement, in multiple sclerosis,  
81, 81f
- Quadriceps tendon, tear of, 389, 394f
- Radiation necrosis, 87, 87f
- Radiation therapy  
brain injury from, 85, 86f–87f, 87  
cervical spine injury from, 136, 136f
- Radiography, in avascular necrosis, 400
- Ranula, 233–234, 234f
- Relaxation  
inner-sphere, 456  
outer-sphere, 456
- Relaxation time  
spin-lattice. *See* T<sub>1</sub> relaxation.  
spin-spin. *See* T<sub>2</sub> relaxation.
- Relaxivity  
theory of, 455–457  
time parameters in, 455
- Renal. *See also* Kidney.
- Renal artery, contrast-enhanced magnetic  
resonance angiography of, 484–485,  
486f–487f
- Renal cell carcinoma, 337, 351–352  
cystic, 341, 343f, 345  
MRI findings in, 345, 346f–349f
- Renal pelvis  
transitional cell carcinoma of, 340, 345  
tumors of, 337, 340
- Renal revascularization, contrast-enhanced  
magnetic resonance angiography in, 485
- Reperfusion, after cerebral infarction, 48
- Repetition time, 2, 457
- Respiratory-ordered phase encoding (ROPE),  
258
- Restrictive cardiomyopathy, 283
- Retention cyst, of paranasal sinus, 235, 236f
- Reticulum cell sarcoma, 7
- Retinocerebral angiomas, 109–110
- Retrocerebellar arachnoid cyst, 100
- Retrolisthesis, in lumbar spine, 206–207,  
208f
- Revascularization, renal, contrast-enhanced  
magnetic resonance angiography in, 485
- Reversible ischemic neurologic deficit  
(RIND), 48
- Rhabdoid tumor, of kidney, 340
- Rhabdomyosarcoma, 437, 439f
- Rheumatoid arthritis, cervical spine findings  
in, 126–127, 127f
- Ring enhancement  
in multiple sclerosis, 81, 82f  
in parenchymal brain infection, 89, 89f,  
90f
- Rotator cuff  
abnormalities of, 410–416, 412f–415f  
anatomy of, 410  
tear of  
full-thickness, 413, 415f  
partial, 413, 414f  
with retraction, 413, 415f  
tendinitis/tendinosis of, 412–413, 414f
- Saccular aneurysm, 36, 37f
- Sacral agenesis, 175–176, 176f
- Sacral insufficiency fracture, 404f
- Sacral meningocele, anterior, of lumbar  
spine, 176
- Sacrococcygeal teratoma, 198
- Salivary gland  
infection and inflammatory disease in, 235  
tumors of, 232, 233, 234–235, 235f
- Sarcoidosis  
brain findings in, 91–92, 92f  
cervical spine findings in, 126
- Sarcoma  
arising from bladder, 354, 356f  
müllerian mixed, of uterus, 363  
myxoid, 287f, 288  
osteogenic, 447, 447f  
reticulum cell, 7
- Scaphoid bone  
avascular necrosis in, 421, 422f  
fracture of, 421, 422f, 423f
- Scapholunate ligament, tear of, 424, 424f,  
425f
- Schizencephaly, 105–106, 107f
- Schmorl's node, in lumbar spine, 209
- Schwannoma  
acoustic, 17–19, 18f–19f, 470–471  
lumbar, 102f, 199  
thoracic, 164, 166f
- Scoliosis, thoracic, 169, 173
- Seminal vesicles  
cyst of, 381f, 382  
MRI of, 380, 382
- Septal defects, 275, 278
- Septo-optic dysplasia, 104, 104f
- Septum pellucidum, cavum, 98, 99f
- Septum vergae, cavum, 98, 99f
- Serous cystadenoma, of pancreas, 326, 329f
- Short TI recovery (STIR) scans  
description of, 457, 460f  
for bone marrow evaluation, 449  
for lumbar vertebral metastasis, 193
- Shoulder, 410–417  
anatomy of, 410

- Shoulder (*Continued*)  
 impingement syndrome in, 410–416, 412f–415f  
 instability in, 416–417, 416f–417f  
 MRI techniques in, 410
- Siderosis, superficial, in subarachnoid hemorrhage, 34
- Sinus infection, intracranial complications of, 89, 90f
- Sinus invasion, meningioma with, 16–17, 17f
- Sinus tarsi syndrome, 432, 435f
- SLAP lesion, 416, 417f
- Small vessel ischemic disease  
 in cerebrovascular disease, 69, 71, 71f  
 in elderly persons, 69, 71, 82, 83f  
 vs. multiple sclerosis, 81, 82, 83f  
 vs. transependymal cerebrospinal fluid flow, 84, 84f
- Soft tissue lesions  
 MRI findings in, 436–437, 436f–439f  
 vs. bone marrow disease, 449
- Solomon-Bloembergen-Morgan equation, 456
- Sphingolipidoses, 114
- Spin density, 2, 455
- Spin echo imaging  
 description of, 2, 457  
 fast or turbo  
 description of, 2, 457  
 of abdomen, 289  
 of cervical spine, 117  
 of knee, 383  
 in bone marrow evaluation, 449  
 in heart disease, 273, 279  
 in lacunar infarction, 66–67  
 in multiple sclerosis, 79  
 magnetization transfer suppression in, 457, 459f  
 of abdomen, 289  
 of cervical spine, 117  
 of head and neck, 228  
 of lumbar spine, 174
- Spina bifida occulta, 175
- Spinal artery, 117
- Spinal cord  
 arteries supplying, 117  
 atrophy of, 140  
 compression of  
 causes of, 141, 144f  
 in lumbar disk herniation, 223, 224f, 227  
 in thoracic vertebral metastatic disease, 157, 160, 160f–162f  
 edema of, 140, 140f  
 hemorrhage of, 140, 140f  
 injury to  
 computed tomography in, 140–141  
 MRI superiority in, 141, 142f–143f  
 myelomalacic changes after, 140  
 type I, 140  
 type II, 140, 141f  
 type III, 140  
 ischemia or infarction of  
 cervical, 128, 132f  
 thoracic, 168, 169f  
 lesions of  
 in leukemia, 163  
 in multiple myeloma, 163–164, 163f, 164f, 193  
 in multiple sclerosis, 81–82, 154f–155f, 155, 173, 173f  
 tethered, in lumbar spine, 177, 180f, 181
- Spinal meningeal cyst, 181, 182f
- Spinal stenosis  
 congenital  
 of cervical spine, 118
- Spinal stenosis (*Continued*)  
 of lumbar spine, 184, 184f  
 degenerative (acquired)  
 of cervical spine, 118, 119f, 120f  
 of lumbar spine, 184–187, 185f–187f
- Spine. *See* Cervical spine; Lumbar spine; Sacral *entries*; Thoracic spine.
- Spin-lattice relaxation time. *See* T<sub>1</sub> relaxation.
- Spin-spin relaxation time. *See* T<sub>2</sub> relaxation.
- Spleen, 314–320  
 accessory, 314, 316  
 agenesis of, 316  
 anatomy and function of, 314–315  
 cyst of, 318, 320, 320f  
 ectopic, 316  
 infarction of, 318  
 infection of, 317–318  
 metastasis to, 320, 321f  
 MRI techniques in, 316  
 pseudocyst of, 320  
 trauma to, 316–317, 317f  
 tumors of, 316f, 318–320, 319f–321f
- Splenogonadal fusion, 316
- Splenomegaly, 318
- Spondylolysis, of lumbar spine, 206, 206f, 207f
- Spondylolysis, of lumbar spine, 204, 206, 207f
- Spondylosis  
 of cervical spine, surgery for, 150, 152f, 153f, 155  
 of lumbar spine, 209
- Squamous cell carcinoma  
 of larynx, 242  
 of nasopharynx, 229–230, 229f, 241  
 of oropharynx, 232–233  
 of paranasal sinus, 239–240, 239f
- Strain, of hip, 402, 407f
- Stress fracture  
 MRI findings in, 453, 453f  
 of femoral neck, 402, 405f
- Stroke  
 completed, 48  
 in evolution (progressing), 48  
 in lacunar infarction, 65–66
- Sturge-Weber syndrome, 45, 110, 110f
- Subarachnoid hemorrhage, 34–35, 35f, 168  
 in intracranial aneurysm, 36  
 vasospasm-induced, 72
- Subarachnoid space, invagination of. *See* Dilated perivascular spaces.
- Subclavian artery  
 occlusion of, 481, 483f  
 right, aberrant, 273f
- Subclavian steal syndrome, contrast-enhanced magnetic resonance angiography in, 481, 492
- Subdural empyema, 94
- Subdural hematoma, 31–33, 33f, 94, 94f
- Subdural hemorrhage, 168–169
- Sublingual gland  
 cyst of, 233–234, 234f  
 tumor of, 233
- Submandibular gland, pleomorphic adenoma of, 234
- Superior cerebellar artery  
 distribution of, 55f, 60  
 infarction of, 60, 62f–63f
- Superior mesenteric artery, occlusion of, 489
- Superior vena cava, left, 275
- Superparamagnetic substance, 35
- Supraspinatus tendon, impingement on, 410–413, 412f–415f
- Supratentorial space  
 primitive neural ectodermal tumor of, 5, 7, 7f
- Supratentorial space (*Continued*)  
 tumors of, 3–11, 3f–12f
- Supraventricular dilated perivascular space, 69, 70f, 87, 88f
- Sylvian triangle, 54, 55f
- Syndesmophytes, in lumbar spine, 209, 213f
- Synovial cyst, of lumbar spine, 209, 214f
- Syringobulbia, of cervical spine, 137, 138f
- Syringomyelia. *See* Hydrosyringomyelia.
- Systemic lupus erythematosus, cerebral injury in, 71–72, 72f, 84
- T<sub>1</sub> relaxation  
 definition of, 2  
 description of, 455  
 in water, 28
- T<sub>1</sub>-weighted scan  
 definition of, 2, 29, 457  
 in glioblastoma, 458  
 of abdomen, 289
- T<sub>2</sub> proton relaxation enhancement, 28–29
- T<sub>2</sub> relaxation  
 definition of, 2  
 description of, 455  
 in water, 28
- T<sub>2</sub>-weighted scan  
 definition of, 2, 29, 457  
 of abdomen, 289
- Talofibular ligament, anterior, tear of, 432, 434f
- Tarlov cyst, 181, 182f
- Tarsal coalition, 430, 430f
- TE (time to echo), 2, 457
- Temporomandibular joint, 417–420  
 anatomy of, 417–418  
 avascular necrosis in, 420  
 dysfunction of, 418–420, 418f–419f  
 meniscus of  
 anatomy of, 418  
 anterior dislocation of, 418–420, 418f–419f  
 perforation of, 420  
 MRI techniques in, 417  
 normal motion of, 418, 418f  
 osteochondritis of, 420  
 postoperative, 420  
 prosthetic implant in, 420
- Tendinitis  
 Achilles, 431, 432f  
 rotator cuff, 412–413, 414f
- Tendon injuries. *See also specific tendon, e.g.,* Patellar tendon.  
 of ankle/foot, 430–432, 431f–434f  
 of elbow/forearm, 424–425, 426f–427f  
 of wrist, 424, 425f
- Tennis elbow, 425, 427f
- Teratocarcinoma, of brain, 11
- Teratoma  
 of brain, 11  
 of lumbar spine, 198  
 of ovary, 370, 373f–374f, 375
- Terminal myelocystocele, 181
- Teslascan (Mn DPDP, Nycomed), for liver imaging, 471
- Testicular lesions, 382
- Tetralogy of Fallot, 275, 275f
- Thalamoperforating arteries, distribution of, 54, 55f
- Thalamus, lacunar infarction involving, 66f
- Thoracic aorta  
 aneurysm of, 266–267, 266f, 483, 483f  
 atherosclerotic ulcers of, 484, 485f  
 congenital anomalies of, 273–275, 273f–279f, 481, 482f

- Thoracic aorta (*Continued*)  
 contrast-enhanced magnetic resonance angiography of, 263, 479, 481–484, 482f–485f  
 dissection of, 267, 267f–271f, 483, 484f  
 intramural hematoma in, 484  
 MRI of, 263  
 occlusive (acquired) disease in, 481, 483, 483f
- Thoracic inlet  
 imaging of, 258, 263  
 MRI of, 258, 263, 264f–265f
- Thoracic outlet syndrome, contrast-enhanced magnetic resonance angiography in, 479f
- Thoracic scoliosis, 169, 173
- Thoracic spine, 156–173  
 abnormal alignment of, 169, 173  
 AIDS-related infection in, 157  
 arteriovenous malformation and fistula in, 167–168, 168f  
 astrocytoma of, 164, 165f  
 congenital or developmental abnormalities of, 156–157  
 cord ischemia/infarction in, 168, 169f  
 disk herniation in, 169, 171f, 172f  
 ependymoma of, 164  
 extramedullary hematopoiesis in, 169  
 hematologic neoplasia of, 160, 163–164, 163f–164f  
 hemorrhage of, 168–169  
 infection in, 157  
 leptomeningeal metastasis in, 160  
 meningioma of, 164, 167, 167f  
 multiple sclerosis lesions in, 81–82, 173, 173f  
 neoplastic disease in, 157–167, 158f–167f  
 neurogenic tumors of, 164, 166f  
 normal, 156  
 osteomyelitis of, 157  
 traumatic injury to, 169  
 tuberculous spondylitis of, 157  
 vertebral metastasis in, 157–169, 158f–162f
- Thorax, MRI of, 258
- Thromboembolic disease, pulmonary, 479, 480f
- Thrombosis, portal, 314
- Thrombotic cerebral infarction, 60–61, 63
- Thrombus, in kidney, 345
- Thymoma, malignant, 259f
- Thymus, MRI of, 258, 259f
- Thyroid lesions, MRI of, 242
- Time to echo, 2, 457
- Time to repetition, 2, 457
- Time-of-flight magnetic resonance angiography, in intracranial aneurysm, 39, 39f, 474
- Tongue, tumor of, 233
- Tonsillar fossa, infection of, 234
- Tornwaldt's cyst, of nasopharynx, 230, 231f
- TR (time to repetition), 2, 457
- Trachea, MRI of, 258
- Transepandyml cerebral spinal fluid flow, vs. small vessel ischemic disease, 84, 84f
- Transient ischemic attack, definition of, 48, 49
- Transitional cell carcinoma  
 of bladder, 354, 355f  
 of kidney, 340, 345
- Transitional vertebrae, in lumbar spine, 175
- Transjugular intrahepatic portosystemic shunt, 488, 488f
- Transplantation  
 kidney, 352
- Transplantation (*Continued*)  
 liver, 488
- Transposition of the great arteries, 275, 276f–279f
- Transverse ligament, 386, 387f
- Transverse myelitis, acute, of cervical spine, 155
- Transverse relaxation time. *See* T<sub>2</sub> relaxation.
- Trauma  
 cerebral ischemia from, 64, 64f  
 to cervical spine, 140–146, 140f–147f  
 to hip, 402, 404f–409f  
 to lumbar spine, 204, 206–209, 206f–208f, 210f–212f  
 to spleen, 316–317, 317f  
 to thoracic spine, 169  
 to upper extremity, 492
- Triangular fibrocartilage, 420–421  
 lesions of, 423–424, 424f
- Tricuspid regurgitation, 284, 284f
- Tricuspid valve, myxoid sarcoma of, 287f
- Trochanteric bursitis, 402, 408f
- Tuberous sclerosis, 109, 109f
- Tuberous spondylitis, of thoracic spine, 157
- Ulcer, atherosclerotic, of thoracic aorta, 484, 485f
- Ulnar collateral ligament, tear of, 425, 428f
- Uncinate processes, 117
- Uncovertebral joints, spurring of, 118, 120f
- Unilateral megalencephaly, 106
- Upper extremity, contrast-enhanced magnetic resonance angiography of, 490, 491f, 492
- Uterine cervix. *See* Cervix.
- Uterus  
 adenomyosis of, 358, 362f, 363  
 congenital anomalies of, 357–358, 357f, 359f  
 endometrial carcinoma of, 363, 364f–365f  
 leiomyoma of, 358, 360f–362f  
 leiomyosarcoma of, 363  
 malignant müllerian mixed sarcoma of, 363  
 MRI techniques in, 353  
 normal, 356–357  
 tumors of, 358, 359f–362f, 363, 364f–365f
- Utricle cyst, 377
- Vacuum disk, in lumbar spine, 214
- Vagina  
 Bartholin's cyst of, 367  
 carcinoma of, 367, 368f  
 MRI techniques in, 353, 367
- Valvular disease, 284, 284f–285f
- Vascular enhancement  
 contrast-enhanced magnetic resonance angiography for, 473–474, 473f–475f. *See also* Contrast-enhanced magnetic resonance angiography.  
 in cerebral infarction, 51, 51f  
 in extra-axial lesions, 1, 461
- Vasogenic edema, in cerebral ischemic disease, 48, 50–51, 50f
- Vasospasm, migraine and, 72
- Vein of Galen aneurysm, 45
- Venous angioma, 45, 46f
- Venous thrombosis, cerebral, 74–75, 75f, 77
- Ventricle(s)  
 hydrocephalus in, 14–15  
 meningioma of, 15  
 MRI of, 281, 281f
- Ventricle(s) (*Continued*)  
 right  
 dysrhythmic dysplasia in, 283–284  
 hypertrophy of, 281f  
 tumors of, 14–15, 15f
- Ventricular diverticula, congenital, hyperintense white matter foci in, 71
- Veretamide (Optimark), 463
- Vertebrae  
 butterfly, 156  
 transitional, in lumbar spine, 175
- Vertebral artery  
 dissection of, lateral medullary infarction from, 67, 69  
 occlusion of, 481
- Vertebral hemangioma  
 MRI findings in, 445  
 of lumbar spine, 192, 192f
- Vertebral metastasis  
 cervical, 128, 134–135, 134f  
 lumbar, 193, 194f–197f  
 thoracic, 157–169, 158f–162f
- Vertebral osteomyelitis, of thoracic spine, 157
- Vertebrobasilar dolichoectasia, 40–41, 42f
- Vertebrobasilar infarction, atherosclerotic thrombotic, 60
- Viral meningitis, 92, 92f
- Virchow-Robin space, invagination of. *See* Dilated perivascular spaces.
- Von Hippel-Lindau disease  
 brain findings in, 109–110  
 cervical spine findings in, 128, 133f
- Von Recklinghausen's neurofibromatosis, 108, 108f
- Wallenberg's syndrome, 67, 68f, 69
- Wallerian degeneration, MRI findings in, 49
- Warthin's tumor, of parotid gland, 234
- Watershed cerebral infarction, 64, 64f
- Wavy line sign, in MRI of breast implant, 253, 257f
- Wernicke's encephalopathy, 85, 86f
- White matter disease, 78–87. *See also* Demyelinating disease.  
 hyperintense foci in, 69, 71, 71f  
 in acute disseminated encephalomyelitis, 91, 91f  
 in central pontine myelinolysis, 85  
 in dilated perivascular spaces, 87, 88f  
 in hypoxic injury, 84–85, 84f–85f  
 in multiple sclerosis, 78–82. *See also* Multiple sclerosis.  
 in optic neuritis, 82  
 in periventricular leukomalacia, 85  
 in systemic lupus erythematosus, 71–72, 72f, 84  
 in Wernicke's encephalopathy, 85, 86f  
 radiation-induced, 85, 86f–87f, 87  
 visualization of, MRI vs. CT in, 78
- Wilms' tumor, 345, 350f
- Wrisberg's ligament, 386, 387f
- Wrist, 420–424  
 anatomy of, 420–421  
 avascular necrosis in, 421, 422f  
 fractures of, 421–423, 422f–423f  
 ganglion cyst of, 421, 421f  
 ligament injuries of, 423–424, 424f–425f  
 MRI techniques in, 420  
 pannus formation in, 421, 423  
 tendon injuries of, 424, 425f
- Wyburn-Mason's syndrome, arteriovenous malformations in, 45